§ 319.56-2w

this species or its hybrids (C. reticulata [Blanco]); and grapefruit (C. paradisi [MacFad.]) may be imported from the Riverland, Riverina, and Sunraysia districts without treatment for fruit flies. subject to paragraph (c) of this section and all other applicable requirements of this subpart.

(c) If surveys conducted in accordance with §319.56-2d(f) detect, in a district listed in paragraph (a) of this section, the Mediterranean fruit fly (Ceratitis capitata [Wiedemann]), the Queensland fruit fly (Dacus tryoni [Frogg]), or other fruit flies that attack citrus and for which a treatment is listed in the Plant Protection and Quarantine (PPQ) Treatment Manual, citrus fruit from that district will remain eligible for importation into the United States in accordance with \$319.56-2(e)(2), provided the fruit undergoes cold treatment in accordance with the PPQ Treatment Manual, which is incorporated by reference at §300.1 of this chapter, and provided the fruit meets all other applicable requirements of this subpart. Entry is limited to ports listed in §319.56-2d(b)(1) of this subpart if the treatment is to be completed in the United States. Entry may be through any port if the treatment has been completed in Australia or in transit to the United States. If no approved treatment for the detected fruit fly appears in the PPQ Treatment Manual, importation of citrus from the affected district or districts is prohibited.

[61 FR 8207, Mar. 4, 1996]

§319.56-2w Administrative instruction; conditions governing the entry of papayas from Costa Rica.

The Solo type of papaya may be imported into the continental United States, Alaska, Puerto Rico, and the U.S. Virgin Islands from the provinces Guanacaste. San Jose. and Puntarenas, Costa Rica, only under the following conditions:

- (a) The papayas were grown and packed for shipment to the United States in the provinces of Guanacaste. San Jose, and Puntarenas, Costa Rica.
- (b) Beginning at least 30 days before harvest began and continuing through the completion of harvest, all trees in the field where the papayas were grown

were kept free of papayas that were ½ or more ripe (more than 1/4 of the shell surface yellow), and all culled and fallen fruits were removed from the field at least twice a week.

(c) When packed, the papayas were less than ½ ripe (the shell surface was no more than 1/4 yellow, surrounded by light green), and appeared to be free of

all injurious insect pests.

- (d) The papayas were packed in an enclosed container or under cover so as to prevent access by fruit flies and other injurious insect pests, and were not packed with any other fruit, including papayas not qualified for importation into the United States.
- (e) All activities described in paragraphs (a) through (d) of this section were carried out under the general supervision and direction of plant health officials of the national Ministry of Agriculture.
- (f) Beginning at least 1 year before harvest begins and continuing through the completion of harvest, fruit fly traps were maintained in the field where the papayas were grown. The traps were placed at a rate of 1 trap per hectare and were checked for fruit flies at least once weekly by plant health officials of the national Ministry of Agriculture. Fifty percent of the traps were of the McPhail type, and fifty percent of the traps were of the Jackson type. The national Ministry of Agriculture kept records of fruit fly finds for each trap, updated the records each time the traps were checked, and made the records available to APHIS inspectors upon request. The records were maintained for at least 1 year.
- (g) All shipments must be accompanied by a phytosanitary certificate issued by the national Ministry of Agriculture stating that the papayas were grown, packed, and shipped in accordance with the provisions of this section.

[62 FR 50237, Sept. 25, 1997]

§319.56-2x Administrative tions; conditions governing the entry of certain fruits and vegetables for which treatment is required.

(a) The following fruits and vegetables may be imported into the United States only if they have been treated

Animal and Plant Health Inspection Service, USDA

§ 319.56-2x

in accordance with the Plant Protection and Quarantine Treatment Manual, which is incorporated by reference at \$300.1 of this chapter:

Country/locality	Common name	Botanical name	Plant part(s)
Argentina Belize	Blueberry Papaya	Carica papaya	Fruit (Treatment for Medfly not required for fruit grown in the districts of Cayo, Corozal, and Orange Walk, or in any potnon of the district of Stam Creek except the area bounded as follows: Beginning at the sounthermost point of the Placentica Peninsula; then north along the coast of the Caribbean Sea to Riverdale Rd.; then west along Riverdale Rd. to Southern Hwy.; then south along the Southern Hwy, to Independence Rd.; then east along Independence Rd.; then east along Independence Rd. to Big Creek Port stross the Placencia Lagoon to the point of beginning—see § 319.56–20. Papayas prohibited entry into Hawaii due to the papaya fruit fly, Toxotrypana cuvicauda. Cantons in which fruit is packed must be stamped "Not for importation into or distribution within Hi."
Bolivia	Blueberry Lime Mountain papaya Sandpear	Vaccinium spp	fruit. fruit. fruit (Treatment for Mediterranean fruit fly (Medfly) not required if fruit is grown in Medfly free area (see §319.56–2(j)).) fruit (Treatment for Mediterranean fruit fly (Medfly) not required if fruit is grown in Medfly free area
China	Litchi	Litchi chinensis	(see §319.56–2(j)), fruit (Ponhide due to litchi rust mite. Cartons in which litchi are packed must be gramped "Not for importation into or distribution in strum.
Ecuador El Salvador Greece Greece Guatemala Guyana Honduras Guduara Guyana Honduras		Vaccinium spp ——————————————————————————————————	fr It.). pod or shelled. fruit. fruit. fruit. fruit. fruit. Pod or shelled.
India	Yard long bean Litchi Cactus Lettuce	Vigna unguiculata, subsp. sesquipedalis	Pod or shelled fruit (Prohibited entry into Florida due to litchi rust mite. Cartons in which litchi are packed must be stamped 'Not for importation into or distribution in FL"). Full leaf (Treatment for leafminers, thrips, and <i>Sminthuris viridus</i> not required if the lettuce si imported in accordance with § 319.56–2u(a)).

	Litchi	Litchi chinensis	fruit.
	Loquat	Eriobotrya japonica	fruit.
	Pummelo	Citrus grandis	fruit.
Jordan		Malus domestica	fruit.
		Vitis spp.	fruit.
	Persimmon	Diospyros spp.	fruit.
Lebanon		Malus domestica	fruit.
Mexico		Prunus avium	fruit.
		Citrus paradisi	fruit.
	Mango	Mangerifa indica	fruit.
	Orange	Citrus sinensis	fruit.
	Tangerine	Citrus reticulata	fruit.
Nicaragua	Broad bean	Vicia faba	Pod or shelled.
	Green bean	Phaseolus spp.	Pod or shelled.
	Mung bean	Vigna radiata	Pod or shelled.
Panama	Bean, green and lima	Phaseolus vulgaris and P. Iunatus	
Peru		Vaccinium spp.	fruit.
Taiwan		Averrhoa carambola	fruit.
	Litchi	Litchi chinensis	÷
			<i>litchii.</i> Cartons in which litchi are packed must be stamped "Not for distribution in FL").
	Mango	Mangifera indica	fruit.
Thailand	-	Asparagus officinalis	shoot.
Uruguay	Plum	Prunus domestica	
Zimbabwe		Malus domestica	
	-	Prunus armeniaca	fruit.
	Kiwi	Actinidia deliciosa	
	Nectarine	Prunus persica	fruit.
	Peach	Prunus persica	
	Pear		fruit.
	Plum	Prunus domestica	fruit.

§ 319.56-2y

(b) If treatment has not been completed before the fruits and vegetables arrive in the United States, fruits and vegetables listed above and requiring treatment for fruit flies may arrive in the United States only at the following ports: Atlantic ports north of, and including, Baltimore, MD; ports on the Great Lakes and St. Lawrence Seaway; Canadian border ports on the North Dakota border and east of North Dakota; the maritime ports of Wilmington, NC, Seattle, WA, and Gulfport, MS; Seattle-Tacoma International Airport, Seattle, WA; Hartsfield-Atlanta International Airport, Atlanta, GA; and Baltimore-Washington International and Dulles International airports, Washington, DC. North Atlantic ports are: Atlantic ports north of and including Baltimore; ports on the Great Lakes and St. Lawrence Seaway; Canadian border ports on the North Dakota border and east of North Dakota; and, for air shipments, Washington, DC (including Baltimore-Washington International and Dulles International airports).

[57 FR 54491, Nov. 19, 1992, as amended at 58 FR 69181, Dec. 30, 1993; 59 FR 40796, Aug. 10, 1994; 59 FR 43712, Aug. 25, 1994; 60 FR 6958, Feb. 6, 1995; 60 FR 14209, Mar. 16, 1995; 60 FR 50385, Sept. 29, 1995; 61 FR 47667, Sept. 10, 1996; 62 FR 597, Jan. 6, 1997]

§319.56-2y Administrative instructions; conditions governing the entry of cantaloupe and watermelon from Ecuador.

- (a) Cantaloupe (*Cucumis melo*) and watermelon (fruit) (*Citrullus lanatus*) may be imported into the United States from Ecuador only under the following conditions:
- (1) The cantaloupe or watermelon may be imported in commercial shipments only;
- (2) The cantaloupe or watermelon must have been grown in an area where trapping for the South American cucurbit fruit fly has been conducted for at least the previous 12 months by the plant protection service of Ecuador, under the direction of APHIS,¹ with no findings of the pest.

- (3) The following area meets the requirements of paragraph (a)(2) of this section: The area within 5 kilometers of either side of the following roads:
- (i) Beginning in Guayaquil, the road north through Nobol, Palestina, and Balzar to Velasco-Ibarra (Empalme);
- (ii) Beginning in Guayaquil, the road south through E1 26, Puerto Inca, Naranjal, and Camilo Ponce to Enriquez;
- (iii) Beginning in Guayaquil, the road east through Palestina to Vinces;
- (iv) Beginning in Guayaquil, the road west through Piedrahita (Novol) to Pedro Carbo; or
- (v) Beginning in Guayaquil, the road west through Progreso, Engunga, Tugaduaja, and Zapotal to El Azucar; and
- (4) The cantaloupe or watermelon may not be moved into Alabama, American Samoa, Arizona, California, Florida, Georgia, Guam, Hawaii, Louisiana, Mississippi, New Mexico, Puerto Rico, South Carolina, Texas, and the U.S. Virgin Islands. The boxes in which the cantaloupe or watermelon is packed must be stamped with the name of the commodity followed by the words "Not to be distributed in the following States or territories: AL, AS, AZ, CA, FL, GA, GU, HI, LA, MS, NM, PR, SC, TX, VI.
 - (b) [Reserved]

[57 FR 54491, Nov. 19, 1992, as amended at 58 FR 69182, Dec. 30, 1993; 59 FR 67610, Dec. 30, 1994]

§319.56-2z Administrative instructions governing the entry of cherimoyas from Chile.

Cherimoyas may be imported into the United States from Chile only under the following conditions:

- (a) *Treatment.* The cherimoyas must be treated, under the supervision of an inspector, either in Chile or in the United States, for the Chile false red mite of grapes (*Brevipalpus chilensis*) in accordance with one of the following procedures:
- (1) Fumigation. The cherimoyas must be fumigated with methyl bromide at normal atmospheric pressure. The fumigation must be done in a fumigation

¹Information on the trapping program may be obtained by writing to the Animal and Plant Health Inspection Service, Plant Protection and Quarantine, Port Operations,

Permit Unit, 4700 River Road Unit 136, Riverdale, Maryland 20737–1236.